



TECHNICAL DATA SHEET

UE ST- Base 350 ECO

Article code: PFPFBA001102

The UE ST- Base 350 Eco is very powerful and equipped with our traditional professional base for use on the ground, on Power feet, Power shoot towers, or attached under a structure. It is adapted for entertainment companies as well as fixes installations for indoor or outdoor stage effects.

NOMENCLATURE:

- 1 x UE ST- Base 350 Eco
- 5 x clamping buttons for heads



TECHNICAL SPECIFICATIONS:



Horizontal dimensions: L 40 x W 63 x H 57 cm
Weight : 19.4 Kg

Electrical characteristics:
230V – 50/60Hz – 550W – 3.8A – IP 55

In accordance with norm CE ERP 2015

CHARACTERISTICS :

Loudness 84 dB / 3m indoor.
Loudness 74 dB / 3m Outdoor.
Standard ground feet.
Adjusting vertically on 110°.
Possibility to attach under a structure.



AVAILABLE HEADS :

UE Head Foam 350	UE Head Jet-Foam 350
UE Head Snow 350	UE Head Mist&Rain 350
UE Head Twin 350	UE Head Wind 350
UE Head Fragrances 350	UE Head Jet-Bubbles 350
UE Head AirFlame 350	UE Head Projection 350

OPTIONAL ACCESSORIES:

- UE Skate Board 350
- UE Feet 50, 70, 100 (x 4)
- UE Shoot Tower 350
- UE Frequency Variator 16A
- UE Box DMX Switch & Dimmer

Made in ALUMINIUM and INOX, The ST-UE Base 350 Eco is made to last. Each item has been selected for its quality and efficacy.

Universal-Effects, Technology Made in France Quality

Universal-Effects Europe – Parc de l'Èvènement, 1 Allée d'Effiat, 91160 LONGJUMEAU – FRANCE
Factory & Delivery : Universal-Effects Manufacture – 87 Route de Montcenis, 71200 LE CREUSOT – FRANCE
Office +33 (0)385 730 747 – Fax +33 (0)385 730 745 – Email info@universal-effects.com – www.universal-effects.com



TECHNICAL SHEET



UE ST Base 350 STD

Article code: PFPFBA001122

The UE ST- Base 350 is a very powerful system. It is fitted with our traditional professional base, so that it can be used on the floor or on a raising support, on a shooting turret or hung up on a structure. This system is also perfectly adapted to service companies and fixed installations for both indoor and outdoor use. The ST-Power Base 350 also features a speed variation system. It is fitted with a professional wiring and a resettable fuse.

PART LIST

- 1 x UE ST- Base 350 STD
- 5 x locking nuts for heads
- 1 x PowerCon cable 5m



SPECIFICATIONS

Dimensions (L x W x H in cm): 40 x 63 x 57
Weight (kg): 20.2

Rating: 230V – 50/60 Hz – 550W – 3.8A – IP55

Complies with norm CE ERP 2015.

FEATURES

Noise level: 84dB/3m indoor.
Noise level: 74dB/3m outdoor.
Standard floor base.
Vertical 110° adjustment.
Can be hung up on a structure.
Electronic speed variator integrated to the base.
Base + Head control via a manual switch.

USABLE HEADS

UE Head Foam 350
UE Head Snow 350
UE Head Twin 350
UE Head Fragrances 350
UE Head AirFlame 350

UE Head Jet-Foam 350
UE Head Mist&Rain350
UE Head Wind 350
UE Head Jet-Bubbles 350
UE Head Projection 350

OPTIONAL ACCESSORIES

- UE Skate Board 350
- UE Feet 50, 70, 100 (x 4)
- UE Shoot Tower 350

Made from ALUMINIUM and STAINLESS STEEL, the UE ST- Base 350 STD is a durable product. Each component was selected keeping in mind its quality and its efficiency.

Universal-Effects, Technology Made in France Quality

Universal-Effects Europe – Parc de l'Évènement, 1 Allée d'Effiat, 91160 LONGJUMEAU – FRANCE
Factory & Delivery : Universal-Effects Manufacture – 87 Route de Montcenis, 71200 LE CREUSOT – FRANCE
Office +33 (0)385 730 747 – Fax +33 (0)385 730 745 – Email info@universal-effects.com – www.universal-effects.com



TECHNICAL DATA SHEET



UE ST- Base 350 DMX

Article code: PFPFBA001112

The UE ST- Base 350 is very powerful and equipped with our traditional professional base for use on the ground, on Power feet, Power shoot towers, or attached under a structure. It is adapted for entertainment companies as well as fixes installations for indoor or outdoor stage effects. Electronic local control or DMX control for the speed variation and effects. It is equipped with professional connections, and a resettable fuse.

NOMENCLATURE:

- 1 x UE ST- Base 350 DMX
- 5 x clamping buttons for heads
- 1 x PowerCon cable 5m



TECHNICAL SPECIFICATIONS:

Horizontal dimensions: L 40 x W 63 x H 57 cm
Weight : 20.2 Kg

Electrical characteristics:
230V – 50/60Hz – 550W – 3.8A – IP 55

In accordance with norm CE ERP 2015

CHARACTERISTICS :

Loudness 84 dB / 3m indoor.
Loudness 74 dB / 3m Outdoor.
Standard ground feet.
Adjusting vertically on 110°.
Possibility to attach under a structure.
Electronic speed variation
Integrated electronic control with Timer and DMX.

AVAILABLE HEADS :

UE Head Foam 350	UE Head Jet-Foam 350
UE Head Snow 350	UE Head Mist&Rain 350
UE Head Twin 350	UE Head Wind 350
UE Head Fragances 350	UE Head Jet-Bubbles 350
UE Head AirFlame 350	Solo
	UE Head Projection 350

OPTIONAL ACCESSORIES:

- UE Skate Board 350
- UE Feet 50, 70, 100 (x 4)
- UE Shoot Tower 350

Made in ALUMINIUM and INOX, The ST-UE Base 350 DMX is made to last. Each item has been selected for its quality and efficacy.

Universal-Effects, Technology Made in France Quality

Universal-Effects Europe – Parc de l'Èvènement, 1 Allée d'Effiat, 91160 LONGJUMEAU – FRANCE
Factory & Delivery : Universal-Effects Manufacture – 87 Route de Montcenis, 71200 LE CREUSOT – FRANCE
Office +33 (0)385 730 747 – Fax +33 (0)385 730 745 – Email info@universal-effects.com – www.universal-effects.com



TECHNICAL DATA SHEET


UE Head Foam 350

Article code: PFPFME001110

The UE Head Foam is particularly impressive due to its significant flow. This machine is efficient and easy to operate, and you will love using it for decor or large scale special effects. The produced foam is much aired, so there is no problem of breath even in case of immersion. The machine is delivered complete with its pump on a stand and all necessary hoses.

NOMENCLATURE:

- 1 x UE Head Foam 350
- 1 x Net foam 350
- 1 x Strap 350
- 1 x Pump 350
- 1 x Kit de Tuyaux



TECHNICAL SPECIFICATIONS:

Dimensions: L 45 x W 37 x H 36 cm
Weight: 25.4 Kg

NECESSARY ACCESSORIES:

- Pump 350: Dimensions: L 42 x W 23 x H 37 cm
Weight: 14,6 Kg
Electrical characteristics :
230V – 50Hz – 800W – 3,7A – IP 44
- Kit of pipes : Length of pipes: 5 m and 7 m
Weight of pipes: 5,6 kg

AVAILABLE BASES:

- UE K-Base 350
- UE ST- Base 350

CONSUMPTION AND PRODUCTION:

- On UE K- Base 350 flow of 50 m3/mn
- On UE ST- Base 350 flow of 70 m3/mn
- Consumption of foam fluid CC: 1, 2 L/mn
- Consumption of mix foam fluid and water: 60 L/mn

CONSUMABLES:

- XT- Foam Fluid CC to be diluted with 98% water.
- XT- Foam Fluid HC to be diluted with 99.5% water.
- XT- Foam Fluid LC to be diluted with 97% water.

Universal-Effects, Technology Made in France Quality

Universal-Effects Europe – Parc de l'Evènement, 1 Allée d'Effiat, 91160 LONGJUMEAU – FRANCE
Factory & Delivery : Universal-Effects Manufacture – 87 Route de Montcenis, 71200 LE CREUSOT – FRANCE
Office +33 (0)385 730 747 – Fax +33 (0)385 730 745 – Email info@universal-effects.com – www.universal-effects.com